BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2011 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

CITY OF FLOWOOD
Public Water Supply Name

	610044 & 610075 List PWS ID #s for all Water Systems Covered by this CCR
The Fe confide must be	deral Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute a consumer ence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.
Please .	Answer the Following Questions Regarding the Consumer Confidence Report
	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper On water bills Other
	Date customers were informed: \(\(\frac{\psi}{\psi} / \eta / \eta \)
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed: <u>\(\phi\) / \(1\) / \(2\) \\</u>
	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication) Name of Newspaper: The Rankin Record
	Date Published: 5/31/12, 4/1/12
	CCR was posted in public places. (Attach list of locations)
	Date Posted: / /
	CCR was posted on a publicly accessible internet site at the address: www
CERT	<u>IFICATION</u>
the fori	y certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in and manner identified above. I further certify that the information included in this CCR is true and correct and is ent with the water quality monitoring data provided to the public water system officials by the Mississippi Statement of Health, Bureau of Public Water Supply.
Z	Tany Rhoade 4/11/13
1Name/	Title (Bresident, Mayor, Owner, etc.) Date 1. Completed Francisco Burbin Water Sumbly B.O. Pour 1700/Jackson, MS 20215
fori siste parti	and manner identified above. I further certify that the information included in this CCR is true and correct and is ent with the water quality monitoring data provided to the public water system officials by the Mississippi Statement of Health, Bureau of Public Water Supply. Title (President, Mayor, Owner, etc.)

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

5 NS

2011 Annual Drinking Water Quality Report City of Flowood PWS#: 0610044 & 0610075 May 2012

2012 MAY -9 PM 12: 37

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Cockfield Formation and Sparta Sand Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the City of Flowood have received lower to moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Ken Tucker at 601.939.8138. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first and third Monday of each month at 6:30 PM at the Flowood City Hall located at 2101 Airport Road, Flowood, MS.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2011. In cases where monitoring wasn't required in 2011, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID #	<u> </u>	14		TEST RESU	JLTS			
Contaminant Violation Date Level Y/N Collected Detected				Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganio	: Contar	minants	;					
10. Barium	N	2010*	.005	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2010*	1.7	1.6 – 1.7	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2010*	.7	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2010*	.26	.2526	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2010*	1	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits

Disinfection By-Products													
82. TTHM [Total trihalomethanes]	N	2010*	35.03	No Range	ppb	0	80	By-product of drinking water chlorination.					
Chlorine	N	2011	1.50	1.19 – 1.43	ppm	0	MDRL = 4	Water additive used to control microbes					

PWS ID#	061007	5			TES	ST RES	ULT	\mathbf{S}						
Contaminant	Violatior Y/N	Dat Collec		Level Detecte		nge of Detects # of Samples Exceeding MCL/ACL	М	Unit easure -ment	MCLG	G MC	CL	Likely Source	of Contamination	
Radioactiv	e Conta	amina	nts											
5. Gross Alpha	N	2008*		.081	.00	l081	p(Ci/L		0	15	Erosion of na	tural deposits	
6. Radium 226	N	2008*		.375	.038	5375	p(Ci/1		0	5	Erosion of na	tural deposits	
Radium 228		2008*		.695		695 3								
7. Uranium '	N	2008*		.081] .00	l081	μί	g/L	1 ()'	30 '	Erosion of na	tural deposits	
Inorganic	TN N	· · · · · · · · · · · · · · · · · · ·	<u>S</u>						т	<u>. T</u>				
10. Barium	2010		.005	.002	005	þ	om		2	2		drilling wastes; m metal refineries; tural deposits		
13. Chromium N		2010		6	.5 -	6	pţ	bb	10	00	100		m steel and pulp of natural deposits	
14. Copper N		2010		.6		0		om		3 AL	=1.3	Corrosion of household plum systems; erosion of natural deposits; leaching from wood preservatives		
16. Fluoride**	5. Fluoride** N			1.69	.1 –	.1 – 1.69		om		4	4	Erosion of natural deposits; w additive which promotes stron teeth; discharge from fertilizer and aluminum factories		
17. Lead	N 2010			2	0		pr	bb		0 AL	=15	Corrosion of household plum systems, erosion of natural deposits		
21. Selenium N		2010*		2.7		1.3 – 2.7		ppb 50		60	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines		
Synthetic (Organio	Cont	ami	nants	sind	udina Pe	estici	desa	and H	ler bi	cid	2 S		
33. Di(2-ethylhexy phthalate		N	2011		65 ug/l			ppb			0	6	Discharge from rubber and chemical factories	
Acebaphthene-d1	0	N	2011		37									
Chrysene-d12		N	2011		32									
Phenanthrene-d10 4-Bromo-3.5-)	N N	2011		73 96									
dimethylphenyl-N-	methyic	IN	201	' <u>'</u>	90									
1,3-dimethy 1-2-nbenz (70-130)		N	2011	,	107									
Perrylene-d12 (70-130)		N	2011		38									
Triphenylphospha	te (70-130)	N	2011		24									
1,2- dibromopropa (60-140)		N	2011		04	98-104								
4,4- dibromobiphe (60-140)	N	2011	' '	01										
2,4 – DCPAA (70-130)	N	2011	(95										
Tetrachlorometha	kylene	N	2011		19									
Disinfectio	n Bv-Pi	oduct	s											
81. HAA5		2011	25		RAA	р	pb		0	60		y-Product of drinking water isinfection.		
82. TTHM [Total trihalomethanes]	N	2011	24.	3	RAA	р	pb		0 8		80 By-product of drinking water chlorination.			

Chlorine	N	2011	1.4	1.35 - 1.64	ppm	0	MRDL = 4	Water additive used to control
								microbes

^{*} Most recent sample. No sample required for 2011.

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississispipi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

For System # 0610044 - Noranco Only:

*****Å MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING*****

In accordance with the Radionuclides Rule, all community public water supplies were requires to sample quarterly for radionuclides beginning January 2007 – December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological health laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has not completed the monitoring requirements. The Bureau of Public Water Supply has taken action to ensure that your water system be returned to compliance by March 31, 2013. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601.576.7518.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", our system is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year that average fluoride sample results were within the optimal range of 0.7-1.3 ppm was 4. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7-1.3 ppm was 82%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The City of Flowood works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

^{**} Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 0.7 - 1.3 mg/l.

2012 JUN 12 AM 9: 05

2011 ANNUAL DRINKING WATER QUALITY CITY OF FLOWOOD

PWS#: 0610044 & 0610075 **MAY 2012**

We're gleased to present to you this year's Annual Qualify Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our vater resources. We are committed to ensuring the quality of your water. Our water sessessment has been completed for our public water system to determine the owned Aquiler.

The source water assessment has been completed for our public water system to determine the owned successfully of its divining water supply to identified potential sources of contamination. The general susceptibility and the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the following between the susceptibility rankings to contaminations were made has been furnished to our public water system and is available for viewing upon request. The wells for the following public water system and is available for viewing upon request. The wells for the following the received lower to medietals usscaphibility rankings to contaminations were made has been furnished to our public water system and is available for viewing upon request. The wells for the following upon request and the following very received lower to medietals usscaphibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact file. The following upon request and the following water requested meetings. They are held or the first and the following very early of each month at 62.00 PM at the flowood Oily Hall flowed or the first water detected during the period of January 1st to December 1st., 2011. In cases where monitoring waster fr

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which if exceeded, tringers treatment or other requirements which a water system must follow.

Maximum Contaminant Level Goal (MCLG) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (ARROL) - The highest level of disinfectant allowed in drinking water. There is convincing evidence that addition of disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to con-

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

										Inorganic C	ontam	inants									
PWS ID#	06100	44		TEST RES	ULTS																
Conteminant	Violation Y/N	Date Collected	Lovel Detected	Range of Detects or # of Samples Exceeding MICUACL	Measus Measus -merk	MCLG	MCI.	(Acc	y Source of Contamination	14. Copper N		2010	.5	D	3	sem .	1.3 AL=1.3		systems; excalon of natural deposits; teaching from wood preservatives		
Inorganie	Contai	minants	.005	rs			,			16. Phoride**	н	2010	1.63	.2 - 1.6	9 5	gan.		4	additive which	tural deposits; water h promotes scrong	
10. 8203/0	l *	2010*	.005	No Range	bker	2	1	2 Discl	arga of drilling wastes; discharge metal refineries; erasion of netural			2010	- 2			eb .			(ast); discharge from lartifizer and element factories Comprises of household plumbing		
13. Chromium	н	2010*	1.7	1.0 - 1.7	550	160	. 10	o Disci erosi	sarge from steel and purp milis; on of natural deposits	17. Lead N		2010	ľ	ľ	65			AL=15	systems, eros deposits	sion of matural	
14. Gopper	н	2010*	.7	0	ggm	1.3	AL=1	syste	iskin of household plumbling ms: prosion of natural deposits; ing from wood proservatives	21. Selenium N		2010*	2.7	1.3 - 2.7		(p)	50 50		Discharge from petrolaum and metal rateories: erosion of natural deposits; discharge from		
16. Fluorida	N	2010* 28 .2526 ppm 4 4 Emission of natural deposits; water oddition which promotes strong tests;					ize which promotes along teeth:		<u></u>		<u> </u>		71 -41-	1.3	YY.		mines				
	discharge from ferbitzer and aluminum factories								orgo from fest-fizer and plussioners	Synthetic Organic Contaminants including Pesticides and Herbicides										Discharge from	
17. Lead	N	2010*	1	0	ttp	1 0	AL=1	5 Cone	reta vision of household plumbing ms. erosion of natural decoxits	33. Di(2-estythexy) phthalate	"	2011	,65 ug/t		bbp		v		nather and chemical factories		
										Acabachs one-d10			2011	67						ļ	
Disinfection	on By-l	Product	\$							Chrysene-d12		N	2011	73					-		
82, TTHM [Total	N	2010*	35.63	No Range	tep	T 4		60 By	product of drinking water torination.	Physics of 10 4-Bromo-3,5- Crack richert N-moltric		H	2011	96	-		7				
iritalomelhanes] Chlorina	N	2011	1.50	1.19 - 1.43	şçm	-	MORE		eler additive used to control	1,3-6/msthy 1-2-nbonz		м	2011	107							
										(70-130) Penylspe-d12		Fi .	2011	88		-	-+		-		
PWS ID#	06100	75		TEST RE	SULT	S				(70-130)					1						
Conteminant	Violati:		Leve	Range of Dete	cts or		cre	MCL	Likely Source of Contamination	Triphenylphesphal			2011	124							
	Ym	Cořeci	d Detect	Exception		leasure -ment				(60-140)			2011	104	99-104	4			ļ		
				MCL/ACI			_ +			4,4- dicromobipher (50-140)	71	N	2011	101			L		ļ		
Radioacti	ve Con	taminaz	ts						1	2,4 - DCPAA (70-130)		ħ i	2011	95							
5. Gross Alpha	N	2003*	.031	.001081		CST.	0	15	Erosion of natural deposits	Tetrachieromethas	dece	11	2011	119	1	_			<u> </u>		
6. Radium 228 —Radium 228	N	2008*	.375 .695	.035375 .185695	F	CV1	0	5	Emsion of natural deposits	Disinfection										,	
7. Urankum	ln .	2005*	180.	.001081	y.	gl	6'	30'	Erosion of natural daposits	81. HAA5		2011	25	RAA	bbp		0		ly-Product of dr Exinfection.	laking water	
Inorganic	Conta	minants								AZ TTPSI	-	2011	24.3	RAA	190		0	8 08	ly-product of dri	loking water	
10. Barken	N	2010	.005	.001005	8	şm	2	2	Discharge of drilling wastes; discharge from metal refinence; eroston of natural deposits	[Total tribalomothanes]			L.				L	ľ	chlorination.		
13. Chromun	11	2010	- 6	.5-6	-	ob -	100	190	Discharge from steel and pulo			****		1.35 - 1.64		-,	1 1 13 13 13 13 13 13 13 13 13 13 13 13	Dt = 4 T V	Valer addeva u	ted to english	
	1.7	1-2.0	- 11	1	- (*		- 1		milis; erosion of natural deposits	Chlorina	61	2011	1.4	1.35 - 1.6	ppm	1 '	1 120	Dr - 4 4	visite esserve u	2,012 001/100	

- * Most recent sample. No sample required for 2010.

 ** Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 0.7 1.3 mg/l.

As you can see by the table, our system had no violations. We're proud that your dishidurally water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your dishidurally qualiter meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels. We are required to monitory our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance paried.

To present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All As sources or uninong water are support to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All distinctions are provided water, may reasonably be expected to contain at least small amounts of some contaminants. The process of contaminants of some information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Sate Drinking Water Hotline at 1-800-426-4791.

Some people may be more witherable to contaminants in dinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIVANIDS or other immune system disorders, some elethery, and intants can be aperticularly at risk infections. These people should seek device about dinking water from their health care providers. EPACDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Sate Orinking Water Hotline 1-800-426-4791.

The City of Flowood works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.